Updating a Label

Last Modified on 11/03/2019 10:25 pm ACDT

Label updates

You can add Custom Patient Labels (fields which are specific to your business. These are managed using specialised code - XSL-FO. CareRight supports the ability to print single labels or sheets of multiple labels. The content of these labels is patient centric and this information can be customised to your organisational needs.

Review a Custom Patient label

- 1. From the Administration menu, click the Patients menu.
- 2. Select Custom Patient labels menu.
 - a. The Custom Patient Labels screen will display.
- 3. To view the label details, select the **Show** button next to the relevant label.
 - a. Note: Please see label field definitions in the table below.
- 4. In the Test section, enter a patient name and click Test.
 - The Label will generate and once complete a green message advising the process is finished and PDF successfully generated
- 5. Click View the Result to view a PDF of the label.

Field	Description	
Name	This is a unique name for the label — needs to be descriptive.	
Enabled	Advises whether or not the label is active (enabled).	
Default Template		
Created At	The date when the label was created.	
Updated At	The date when the label was last updated.	

Edit a Custom Patient label

- 1. Access the Custom Patient Label menu.
 - a. The Custom Patient Labels screen will display.

the value of the margins and save the code "Update Custom Patient Label" you will be able to 'Test' the label	a. The label details information will display.				
4. Once your update is complete, select the Update Custom patient label button. a. The label will be updated. The XSL-FO code is below as follows. I have highlighted the section with the page margins. If you change the value of the margins and save the code "Update Custom Patient Label" you will be able to 'Test' the label	3. You are able to edit the label name, select the Enabled check box and modify the XSL-FO tem	plate			
a. The label will be updated. The XSL-FO code is below as follows. I have highlighted the section with the page margins. If you change the value of the margins and save the code "Update Custom Patient Label" you will be able to 'Test' the label	code.				
The XSL-FO code is below as follows. I have highlighted the section with the page margins. If you change the value of the margins and save the code "Update Custom Patient Label" you will be able to 'Test' the label	4. Once your update is complete, select the Update Custom patient label button.				
the value of the margins and save the code "Update Custom Patient Label" you will be able to 'Test' the label	a. The label will be updated.				
	The XSL-FO code is below as follows. I have highlighted the section with the page margins. If you change the value of the margins and save the code "Update Custom Patient Label" you will be able to 'Test' the label using the instructions above in Review a Custom Patient label.				

2. To edit the label details, select the Edit button next to the relevant label.

Name NHI DOB

Address	
Phone	
Mobile	
Provider	