Cancer Site Rule Sets

Last Modified on 25/05/2020 3:29 pm ACST

This article is part of the systems administration guide. You will require administration access to view the pages mentioned in this article.

The Cancer Site Rule Sets screen is used to define which diagnoses are used to pre-fill cancer notifications as primary sites. By default, values C00 - D48 are assigned to Primary. This can be changed via the Edit functionality.

Each rule set includes a **Bulk** option, which controls the behaviour of the Create Cancer Notification button when there are no cancer notifications against the admission.

Bulk settings:


- On setting: The button will launch a screen that enables the user to create as many cancer notifications as there are primary sites (default for QLDCNR); and,
- Off setting: The button will launch a screen that enables the user to create a single cancer notification (default for all other reporting bodies).

Change in Primary Site Range (v6.66 Update)

Per ICD-10-CM codes (Neoplasms), the range used for the primary site range has changed from C00-D99 to C00-D48.

Navigating to Cancer Site Rule Sets

- 1. From the Admin interface, click Admissions.
- 2. Click Cancer Site Rules.




Creating a New Rule Set

1. From the Cancer Site Rule Sets screen, click New.

- 2. In the Report Name field, select a report.
- 3. In the Create Bulk field, select the checkbox to indicate that the rule set is used for bulk processing (see notes above for bulk items).
- 4. In the Rules panel, click Add.
- 5. In the From and To fields, enter the values to indicate the starting & ending points for the rule set.
 - a. Note that the **To** field is not required.
- 6. In the Classification field, select the appropriate rule set classification.
- 7. Click Create Cancer Site Rule Set.

Editing a Rule Set

- 1. From the Cancer Site Rule Sets screen, click Show for a rule set.
- 2. Click Edit.
- 3. In the Report Name field, select a different report (if applicable).
- 4. In the Create Bulk field, select the checkbox to indicate that the rule set is used for bulk processing (see notes above for bulk items).
- 5. In the Rules panel, modify the From, To and Classification settings as needed.
- 6. To create an additional row, click Add.
- 7. To delete a row, click the bin icon to the right of the row.
- 8. When done, click Update Cancer Site Rule Set.



Changes to TASCNR Rule Set (v6.62 Change)

TASCNR can now classify which set of codes are pre-filled as Topography. This is automatically loaded into the TAS config with the default range of C00 to C80.

