Branding Settings

Last Modified on 29/08/2024 9:31 am ACST

Branding Settings enable the ability to upload a logo, favicon, customise CSS, customise emails, signatures, and more.

Steps:

- 1. Dashboard
- 2. Administration
- 3. Branding Settings.

Site Branding


| Field | Values | Description |
|--------------------|--|--|
| Logo | A valid image for the upper left hand side of the Careright application. We recommend the use of PNG files. | |
| Favicon | A valid favicon image. | |
| Additional CSS Url | A link to an external, hosted stylesheet. | Note: CareRight uses Bootstrap 3 as a basis for layout and styling. Ensure you serve this over HTTPS |
| Custom Layout Name | Used only where a customer specific template has been created. | |

Email & SMS Branding

Emails and SMS messages can be customised via our Templates system.

The primary new variable is assessment.assessment_url

See Update a SMS Template or Email Configuration 1 - Create Message Types and Templates



Since different messages have varying levels of sensitivity, Careright now allows users to set its own expiry hours. For instance, you might want an invoice to be accessible for a longer period, while a health questionnaire might have a shorter validity window



| Field | Value | Example |
|---|---|---------|
| Patient Portal URL | A public URL for patient portal links, if you are using a reverse proxy | |
| Assessment Link Expiry In Hours | How many hours a link is valid for shared assessment. | 1 |
| Online Payment Link Expiry In Hou | rsHow many hours a link is valid for online payment link. | 2 |
| Document Link Expiry In Hours | How many hours a link is valid for document link | 2 |
| Signature Link Expiry In Hours | How many hours a link is valid for signature link. | 3 |
| Pathology And Radiology Link Expiry In Hours | How many hours a link is valid for pathology and radiology link | 3 |
| Paid Invoice Link Expiry In Hours | How many hours a link is valid for paid invoice link. | 12 |